List of Publications 2010

[1] H. Alloul, F. Rullier-Albenque, B. Vignolle, D. Colson, and A. Forget, "Superconducting fluctuations, pseudogap and phase diagram in cuprates," Europhysics Letters **91**, 37005 (2010).

[2] M. Amado, E. Diez, D. Lopez-Romero, F. Rossella, J. M. Caridad, F. Dionigi, V. Bellani, and D. K. Maude, "Plateau-insulator transition in graphene," New Journal Of Physics **12**, 053004 (2010).

[3] Veronique Anton-Leberre, Evert Haanappel, Nathalie Marsaud, Lidwine Trouilh, Laurent Benbadis, Helian Boucherie, Sophie Massou, and Jean M. Franois, "Exposure to high static or pulsed magnetic fields does not affect cellular processes in the yeast Saccharomyces cerevisiae," Bioelectromagnetics **31**, 28–38 (2010).

[4] A. B. Antunes, C. Moure, A. Moure, and O. Pena, "Field-Induced Transitions in $RECo_{0.50}Mn_{0.50}O_3$ (RE = Dy, Eu)," Journal Of Low Temperature Physics **159**, 114–117 (2010), 9th International Conference on Research in High Magnetic Fields (RHMF 2009), Dresden, Germany, Jul 22-25, 2009.

[5] A. Balan, R. Kumar, M. Boukhicha, O. Beyssac, J. C. Bouillard, D. Taverna, W. Sacks, M. Marangolo, E. Lacaze, R. Gohler, W. Escoffier, J. M. Poumirol, and A. Shukla, "Anodic bonded graphene," Journal of Physics D-Applied Physics **43**, 374013 (2010).

[6] R. Battesti, M. Fouché, C. Detlefs, T. Roth, P. Berceau, F. Duc, P. Frings, G. L. J. A. Rikken, and C. Rizzo, "Photon Regeneration Experiment for Axion Search Using X-Rays," Physical Review Letters **105**, 250405 (2010).

[7] E. Belandria, M. Millot, J. M. Broto, E. Flahaut, F. Rodriguez, R. Valiente, and J. Gonzalez, "Pressure dependence of Raman modes in double wall carbon nanotubes filled with 1D Tellurium," Carbon **48**, 2566–2572 (2010).

[8] P. Berceau, M. Fouche, R. Battesti, F. Bielsa, J. Mauchain, and C. Rizzo, "Dynamical behaviour of birefringent Fabry-Perot cavities," Applied Physics B-Lasers And Optics **100**, 803–809 (2010).

[9] Claire Berger, Jean-Yves Veuillen, Laurence Magaud, Pierre Mallet, Valerio Olevano, M. Orlita, P. Plochocka, C. Faugeras, G. Martinez, Marek Potemski, Cecile Naud, Laurent P. Levy, and Didier Mayou, "Electronic properties of epitaxial graphene," International Journal Of Nanotechnology **7**, 383–402 (2010).

[10] Daniel Bourgault, Jeremy Tillier, Pierre Courtois, Denis Maillard, and Xavier Chaud, "Large inverse magnetocaloric effect in $Ni_{45}Co_5Mn_{37.5}In_{12.5}$ single crystal above 300 K," Applied Physics Letters **96**, 132501 (2010).

[11] A. Bourquard, D. Bresson, A. Daël, F. Debray, P. Fazilleau, B. Hervieu, W. Joss, F. P. Juster, C. Mayri, P. Pugnat, J. M. Rifflet, L. Ronayette, and C. Trophime, "A new design for the superconducting outsert of the GHMFL 42+T hybrid magnet project," IEEE Transactions on Applied Superconductivity **20**, 684 (2010).

[12] A. Bourquard, D. Bresson, A. Daël, F. Debray, P. Fazilleau, B. Hervieu, W. Joss, F. P. Juster, C. Mayri, P. Pugnat, J. M. Rifflet, L. Ronayette, C. Trophime, C. Verwaerde, and L. Villars, "The 42+T Hybrid Magnet Project at CNRS-LNCMI-Grenoble," Journal Of Low Temperature Physics **159**, 332–335 (2010), 9th International Conference on Research in High Magnetic Fields (RHMF 2009), Dresden, GERMANY, JUL 22-25, 2009.

[13] Daniel Braithwaite, Gerard Lapertot, William Knafo, and Ilya Sheikin, "Evidence for Anisotropic Vortex Dynamics and Pauli Limitation in the Upper Critical Field of $FeSe_{1-x}Te_x$," Journal Of The Physical Society Of Japan **79**, 053703 (2010).

[14] S. de Brion, M. Bonda, C. Darie, P. Bordet, and I. Sheikin, "Magnetic phase diagram of the S=1/2 triangular layered compound $NaNiO_2$: a single crystal study," Journal Of Physics-Condensed Matter **22**, 126001 (2010).

[15] L. Bryja, A. Wojs, J. Jadczak, J. Misiewicz, P. Plochocka, D. Maude, M. Potemski, D. Reuter, and A. Wieck, "Signature of Singlet-Triplet Crossing in PL in GaAs QW's," AIP Conference Proceedings **1199**, 247–248 (2010).

[16] E. Buet, J. Dubois, P. Olier, L. Thilly, F. Lecouturier, and P. Renault, "Microstructure and texture of copper/niobium composites processed by ECAE," International Journal of Material Forming **3**, 1071–1074 (2010).

[17] Haitao Cao, X. Chaud, J. G. Noudem, Cuiping Zhang, Rui Hu, Jinshan Li, and Lian Zhou, "Mechanism of seeded infiltration growth process analysed by magnetic susceptibility measurements and in situ observation," Ceramics International **36**, 1383–1388 (2010).

[18] J. Chang, R. Daou, Cyril Proust, David LeBoeuf, Nicolas Doiron-Leyraud, Francis Laliberte, B. Pingault, B. J. Ramshaw, Ruixing Liang, D. A. Bonn, W. N. Hardy, H. Takagi, A. B. Antunes, I. Sheikin, K. Behnia, and Louis Taillefer, "Nernst and Seebeck Coefficients of the Cuprate Superconductor $YBa_2Cu_3O_{6.67}$: A Study of Fermi Surface Reconstruction," Physical Review Letters **104**, 057005 (2010).

[19] C. N. Chinnasamy, J. M. Greneche, M. Guillot, B. Latha, T. Sakai, C. Vittoria, and V. G. Harris, "Structural and size dependent magnetic properties of single phase nanostructured Gadolinium-Iron-garnet under high magnetic field of 32 Tesla," Journal Of Applied Physics **107**, 09A512 (2010), 11th Joint MMM-Intermag Conference, Washington, DC, Jan 18-22, 2010.

[20] E. Cizmar, M. Ozerov, J. Wosnitza, B. Thielemann, K. W. Kraemer, Ch. Rueegg, O. Piovesana, M. Klanjsek, M. Horvatic, C. Berthier, and S. A. Zvyagin, "Anisotropy of magnetic interactions in the spin-ladder compound $(C_5H_{12}N)_2CuBr_4$," Physical Review B **82**, 054431 (2010).

[21] C. V. Colin, O. Isnard, and M. Guillot, "High magnetic field study of the anisotropy and neutron diffraction investigation of the crystal and magnetic structure of $YCo_{4.5}Ge_{0.5}$," Journal Of Alloys And Compounds **505**, 11–16 (2010).

[22] Arnaud Comment, Hadrien Mayaffre, Vesna Mitrović, Mladen Horvatić, Claude Berthier, Béatrice Grenier, and Patrice Millet, "NMR and NQR study of the tetrahedral frustrated quantum spin system $Cu_2Te_2O_5Br_2$ in its paramagnetic phase," Physical Review B **82**, 214416 (2010).

[23] R. Daou, J. Chang, D. LeBoeuf, O. Cyr-Choiniere, F. Laliberte, N. Doiron-Leyraud, B. J. Ramshaw, R. X. Liang, D. A. Bonn, W. N. Hardy, and L. Taillefer, "Broken rotational symmetry in the pseudogap phase of a high-T_c superconductor," Nature **463**, 519–522 (2010).

[24] T. A. Dauzhenka, V. K. Ksenevich, I. A. Bashmakov, and J. Galibert, "Evidence of two-dimensional weak localization in polycrystalline SnO_2 films by high field magnetoconductance study," Journal of Low Temperature Physics **159**, 212–215 (2010).

[25] F. Debray, J. Dumas, S. Labbé-Lavigne, R. Pfister, C. Trophime, N. Vidal, F. Wilhelm, and M. Enderle, "Design study of High Field Resistive Magnets for Diffraction Experiments," IEEE Trans. on Appl. Superconduc. **20**, 664 (2010).

[26] Jan Dreiser, Oliver Waldmann, Graham Carver, Christopher Dobe, Hans-Ulrich Guedel, Hogni Weihe, and Anne-Laure Barra, "High-Frequency Electron-Spin-Resonance Study of the Octanuclear Ferric Wheel $CsFe_8$," Inorganic Chemistry **49**, 8729–8735 (2010).

[27] L. Drigo, F. Durantel, A. Audouard, and G. Ballon, "Tunnel diode oscillator-based measurement of quantum oscillations amplitude in pulsed high magnetic fields: a quantitative field-dependent study," The European Physical Journal - Applied Physics **52**, 10401 (2010).

[28] J.B. Dubois, L. Thilly, P.O. Renault, F. Lecouturier, and M. Di Michiel, "Thermal stability of nanocomposite metals: In situ observation of anomalous residual stress relaxation during annealing under synchrotron radiation," Acta Materialia **58**, 6504–6512 (2010).

[29] F. Duc, J. Vanacken, G. Zhang, W. Decelle, J. E. Lorenzo, C. Detlefs, C. Strohm, T. Roth, R. Suryanarayanan, P. Frings, and G. L. J. A. Rikken, "Direct evidence of magnetostructural phase separation in the electron-doped manganite $Ca_{0.8}Sm_{0.16}Nd_{0.04}MnO_3$ by means of high magnetic field studies," Physical Review B **82**, 054105 (2010).

[30] W. Escoffier, J. Poumirol, R. Yang, M. Goiran, B. Raquet, and J. Broto, "Electric field doping of few-layer graphene," Physica B-Condensed Matter **405**, 1163–1167 (2010).

[31] Clement Faugeras, Blaise Faugeras, Milan Orlita, M. Potemski, Rahul R. Nair, and A. K. Geim, "Thermal Conductivity of Graphene in Corbino Membrane Geometry," ACS Nano **4**, 1889–1892 (2010).

[32] C. Faugeras, P. Kossacki, D. M. Basko, M. Amado, M. Sprinkle, C. Berger, W. A. de Heer, and M. Potemski, "Effect of a magnetic field on the two-phonon Raman scattering in graphene," Physical Review B **81**, 155436 (2010).

[33] O. M. Fedorych, M. Potemski, S. A. Studenikin, J. A. Gupta, Z. R. Wasilewski, and I. A. Dmitriev, "Quantum oscillations in the microwave magnetoabsorption of a two-dimensional electron gas," Physical Review B **81**, 201302 (2010).

[34] J. Flouquet, D. Aoki, W. Knafo, G. Knebel, T. Matsuda, S. Raymond, C. Proust, C. Paulsen, and P. Haen, "Convergence of the enhancement of the effective mass under pressure and magnetic field in heavy-fermion compounds: $CeRu_2Si_2$, $CeRh_2Si_2$, and $CeIn_3$," Journal of Low Temperature Physics **161**, 83–97 (2010).

[35] J. Y. Fortin and A. Audouard, "Random walks and magnetic oscillations in compensated metals," Physical Review B **80**, 214407 (2009).

[36] M. Goiran, M. Millot, J. M. Poumirol, I. Gherasoiu, W. Walukiewicz, and J. Leotin, "Electron cyclotron effective mass in indium nitride," Applied Physics Letters **96**, 052117 (2010).

[37] M. Goryca, P. Plochocka, T. Kazimierczuk, P. Wojnar, G. Karczewski, J. A. Gaj, M. Potemski, and P. Kossacki, "Brightening of dark excitons in a single CdTe quantum dot containing a single Mn^{2+} ion," Phys. Rev. B **82**, 165323 (2010).

[38] D. S. Grachtrup, M. Bleckmann, S. Sullow, B. Willenberg, H. Rakoto, Y. Skourski, and J. A. Mydosh, "High field magnetization of UPt_2Si_2," Journal of Low Temperature Physics **159**, 147–150 (2010).

[39] M. Guillot, V. Paul-Boncour, and T. Leblond, "Magnetic properties of $Y_{0.7}Er_{0.3}Fe_2(H,D)_{4.2}$ compounds under continuous magnetic field up to 35 Tesla," Journal Of Applied Physics **107**, 09E144 (2010), 11th Joint MMM-Intermag Conference, Washington, DC, Jan 18-22, 2010.

[40] G. M. Gusev, E. B. Olshanetsky, Z. D. Kvon, N. N. Mikhailov, S. A. Dvoretsky, and J. C. Portal, "Quantum hall effect near the charge neutrality point in a two-dimensional electron-hole system," Physical Review Letters **104**, 166401 (2010).

[41] G. M. Gusev, Yu. A. Pusep, A. K. Bakarov, A. I. Toropov, and J. C. Portal, "Magnetic-field-induced transition in a wide parabolic well superimposed with a superlattice," Physical Review B **81**, 165302 (2010).

[42] Walt A. de Heer, Claire Berger, Xiaosong Wu, Mike Sprinkle, Yike Hu, Ming Ruan, Joseph A. Stroscio, Phillip N. First, Robert Haddon, Benjamin Piot, Clement Faugeras, Marek Potemski, and Jeong-Sun Moon, "Epitaxial graphene electronic structure and transport," Journal Of Physics D-Applied Physics **43**, 374007 (2010).

[43] T. Helm, M. V. Kartsovnik, I. Sheikin, M. Bartkowiak, F. Wolff-Fabris, N. Bittner, W. Biberacher, M. Lambacher, A. Erb, J. Wosnitza, and R. Gross, "Magnetic Breakdown in the Electron-Doped Cuprate Superconductor $Nd_{2-x}Ce_xCuO_4$: The Reconstructed Fermi Surface Survives in the Strongly Overdoped Regime," Phys. Rev. Lett. **105**, 247002 (2010).

[44] Ko-ichi Hiraki, Masatsugu Kitahara, Toshihiro Takahashi, Hadrien Mayaffre, Mladen Horvatic, Claude Berthier, Shinya Uji, Hisashi Tanaka, Biao Zhou, Akiko Kobayashi, and Hayao Kobayashi, "Evidence of Charge Disproportionation in lambda Type BETS Based Organic Superconductors," Journal Of The Physical Society Of Japan **79**, 074711 (2010).

[45] A. Ikonnikov, S. Krishtopenko, V. Gavrilenko, Y. Sadofyev, Y. Vasilyev, M. Orlita, and W. Knap, "Splitting of Cyclotron Resonance Line in InAs/AlSb QW Heterostructures in High Magnetic Fields: Effects of Electron-Electron and Electron-Phonon Interaction," Journal Of Low Temperature Physics **159**, 197–202 (2010), 9th International Conference on Research in High Magnetic Fields (RHMF 2009), Dresden, Germany, Jul 22-25, 2009.

[46] J. Jadczak, L. Bryja, P. Plochocka, A. Wojs, J. Misiewicz, M. Potemski D. Maude, D. Reuter, and A. Wieck, "The observation of exciton-cyclotron resonance in photoluminescence spectra of a two dimensional hole gas," Journal of Physics: Conference Series **210**, 012043 (2010).

[47] Johannes Jobst, Daniel Waldmann, Florian Speck, Roland Hirner, Duncan K. Maude, Thomas Seyller, and Heiko B. Weber, "Quantum oscillations and quantum Hall effect in epitaxial graphene," Physical Review B **81**, 195434 (2010).

[48] T. Jungwirth, P. Horodyská, N. Tesařová, P. Němec, J. Šubrt, P. Malý, P. Kužel, C. Kadlec, J. Mašek, I. Němec, M. Orlita, V. Novák, K. Olejník, Z. Šobáň, P. Vašek, P. Svoboda, and Jairo Sinova, "Systematic Study of Mn-Doping Trends in Optical Properties of (Ga,Mn)As," Physical Review Letters **105**, 227201 (2010).

[49] T. Kazimierczuk, A. Golnik, P. Wojnar, J. A. Gaj, and P. Kossacki, "Clustering in a self-assembled CdTe/ZnTe quantum dot plane revealed by inter-dot coupling," Physica Status Solidi B-Basic Solid State Physics **247**, 1409–1412 (2010).

[50] T. Kazimierczuk, M. Goryca, M. Koperski, A. Golnik, J. A. Gaj, M. Nawrocki, P. Wojnar, and P. Kossacki, "Picosecond charge variation of quantum dots under pulsed excitation," Physical Review B **81**, 155313 (2010).

[51] L. Kilanski, M. Gorska, W. Dobrowolski, E. Dynowska, M. Wojcik, B. J. Kowalski, J. R. Anderson, C. R. Rotundu, D. K. Maude, S. A. Varnavskiy, I. V. Fedorchenko, and S. F. Marenkin, "Magnetism and magnetotransport of strongly disordered $Zn_{1-x}Mn_xGeAs_2$ semiconductor: The role of nanoscale magnetic clusters," Journal of Applied Physics **108**, 073925 (2010).

[52] M. Klanjsek, H. Mayaffre, C. Berthier, M. Horvatic, B. Chiari, O. Piovesana, P. Bouillot, C. Kollath, E. Orignac, R. Citro, and T. Giamarchi, "Luttinger liquid physics in the spin ladder material $CuBr_4(C_5H_{12}N)_2$," Physica Status Solidi B-Basic Solid State Physics **247**, 656–658 (2010), International Conference on Quantum Criticality and Novel Phases, Dresden, Germany, Aug 02-05, 2009.

[53] T. Klein, D. Braithwaite, A. Demuer, W. Knafo, G. Lapertot, C. Marcenat, P. Rodière, I. Sheikin, P. Strobel, A. Sulpice, and P. Toulemonde, "Thermodynamic phase diagram of $Fe(Se_{0.5}Te_{0.5})$ single crystals in fields up to 28 tesla," Phys. Rev. B **82**, 184506 (2010).

[54] W. Knafo, D. Aoki, D. Vignolles, B. Vignolle, Y. Klein, C. Jaudet, A. Villaume, C. Proust, and J. Flouquet, "High-field metamagnetism in the antiferromagnet $CeRh_2Si_2$," Physical Review B **81**, 094403 (2010).

[55] Peter Kopcansky, Natalia Tomasovicova, Martina Koneracka, Milan Timko, Vlasta Zavisova, Nandor Eber, Katalin Fodor-Csorba, Tibor Toth-Katona, Aniko Vajda, Jan Jadzyn, Eric Beaugnon, and Xavier Chaud, "The structural instabilities in ferronematic based on liquid crystal with negative diamagnetic susceptibility anisotropy," Journal Of Magnetism And Magnetic Materials **322**, 3696–3700 (2010).

[56] G. Koutroulakis, M. D. Stewart, Jr., V. F. Mitrovic, M. Horvatic, C. Berthier, G. Lapertot, and J. Flouquet, "Field Evolution of Coexisting Superconducting and Magnetic Orders in $CeCoIn_5$," Physical Review Letters **104**, 087001 (2010).

[57] K. Kowalik, F. J. Teran, P. Plochocka, J. Kunc, D. K. Maude, M. Potemski, K. J. Friedland, R. Hey, K. H. Ploog, G. Karczewski, and T. Wojtowicz, "Exchange driven spin splitting of fully occupied Landau levels measured using polarization resolved photoluminescence spectroscopy," AIP Conference Proceedings **1199**, 249–250 (2010).

[58] R. B. G. Kramer, V. S. Egorov, A. G. M. Jansen, and W. Joss, "Condon-domain phase diagram and hysteresis size for beryllium," Physical Review B **82**, 075101 (2010).

[59] A. Kumar, J. M. Poumirol, W. Escoffier, M. Goiran, B. Raquet, and J. C. Pivin, "High magnetic field induced charge density waves and sign reversal of the Hall coefficient in graphite," Journal of Physics-condensed Matter **22**, 436004 (2010).

[60] J. Kunc, K. Kowalik, F. J. Teran, P. Plochocka, B. A. Piot, D. K. Maude, M. Potemski, V. Kolkovsky, G. Karczewski, and T. Wojtowicz, "Enhancement of the spin gap in fully occupied two-dimensional Landau levels," Physical Review B **82**, 115438 (2010).

[61] A. Laslo, C. V. Colin, O. Isnard, and M. Guillot, "Effect of the M/Co substitution on magnetocrystalline anisotropy and magnetization in $SmCo_{5-x}M_x$ compounds (M=Ga;Al)," Journal Of Applied Physics **107**, 09A732 (2010), 11th Joint MMM-Intermag Conference, Washington, DC, Jan 18-22, 2010.

[62] L. Latrasse, M. Marie-Jeanne, T. Lamy, T. Thuillier, J. Giraud, C. Fourel, C. Trophime, F. Debray, P. Sala, and J. Dumas, "SEISM: A 60 GHz cusp electron cyclotron resonance ion source," Review Of Scientific Instruments **81**, 02A324 (2010), 13th International Conference on Ion Sources (ICIS'09), Gatlinburg, TN, SEP 20-25, 2009.

[63] Y.U. I. Latyshev, A.P. Orlov, E.G. Shustin, N.V. Isaev, W. Escoffier, P. Monceau, C.J. van der Beek, M. Konczykowski, and I. Monnet, "Aharonov-Bohm effect on columnar defects in thin graphite and graphene," Journal of Physics: Conference Series **248**, 012001 (2010).

[64] F. Luckert, M. V. Yakushev, C. Faugeras, A. V. Karotki, A. V. Mudryi, and R. W. Martin, "Diamagnetic shift of the A free exciton in $CuGaSe_2$ single crystals," Applied Physics Letters **97**, 162101 (2010).

[65] T. T. A. Lummen, C. Strohm, H. Rakoto, and P. H. M. van Loosdrecht, "Mapping the magnetic phase diagram of the frustrated metamagnet $CuFeO_2$," Physical Review B **81**, 224420 (2010).

[66] M. Matsuda, K. Ohoyama, S. Yoshii, H. Nojiri, P. Frings, F. Duc, B. Vignolle, G. L. J. A. Rikken, L. P. Regnault, S. H. Lee, H. Ueda, and Y. Ueda, "Universal magnetic structure of the half-magnetization phase in Cr-based spinels," Physical Review Letters **104**, 047201 (2010).

[67] M. Millot, J. M. Broto, S. George, J. Gonzalez, and A. Segura, "Electronic structure of indium selenide probed by magnetoabsorption spectroscopy under high pressure," Physical Review B **81**, 205211 (2010).

[68] M. Millot, J. M. Broto, J. Gonzalez, and F. Rodriguez, "Trigonal field acting at the Cr^{3+} ^2E states in ruby from magneto-optical measurements under high pressure," Physical Review B **81**, 075120 (2010).

[69] M. Millot, S. George, F. Hatami, W. T. Masselink, J. Leotin, J. Gonzalez, and J. M. Broto, "Photoluminescence of InP/GaP quantum dots under extreme conditions," High Pressure Research **29**, 488–494 (2009).

[70] M. Millot, R. Tena-Zaera, V. Munoz-Sanjose, J. M. Broto, and J. Gonzalez, "Anharmonic effects in ZnO optical phonons probed by Raman spectroscopy," Applied Physics Letters **96**, 152103 (2010).

[71] O. A. Mironov, M. Goiran, J. Galibert, D. V. Kozlov, A. V. Ikonnikov, K. E. Spirin, V. I. Gavrilenko, G. Isella, M. Kummer, H. von Kanel, O. Drachenko, M. Helm, J. Wosnitza, R. J. H. Morris, and D. R. Leadley, "Cyclotron resonance of extremely conductive 2D holes in high Ge content strained heterostructures," Journal of Low Temperature Physics **159**, 216–221 (2010).

[72] D. Molter, F. Ellrich, T. Weinland, S. George, M. Goiran, F. Keilmann, R. Beigang, and J. Léotin, "High-speed terahertz time-domain spectroscopy of cyclotron resonance in pulsed magnetic field," Optics Express **18**, 26163 (2010).

[73] S. Nanot, R. Avriller, W. Escoffier, J. M. Broto, S. Roche, and B. Raquet, "Propagative Landau states and Fermi level pinning in carbon nanotubes," Physical Review Letters **103**, 256801 (2009).

[74] S. Nanot, M. Millot, B. Raquet, J. M. Broto, A. Magrez, and J. Gonzalez, "Doping dependence of the G-band Raman spectra of an individual multiwall carbon nanotube," Physica E-Low-Dimensional Systems & Nanostructures **42**, 2466–2470 (2010).

[75] P. Neugebauer and A. L. Barra, "New cavity design for Broad-band Quasi-Optical HF-EPR spectroscopy," Appl. Magn. Reson **37**, 833 (2010).

[76] A. Nogaret, J. C. Portal, H. E. Beere, D. A. Ritchie, and C. Phillips, "Microwave Induced Forward Scattering in a Multi-channel Magnetically Confined Quantum Wire," AIP Conference Proceedings **1199**, 345 (2010).

[77] A. Nogaret, P. Saraiva, B. Dai, and J. C. Portal, "Control of spin currents with double spin resonance," Physica E-Low-Dimensional Systems & Nanostructures **42**, 926–928 (2010), 18th International Conference on Electronic Properties of Two-Dimensional Systems, Kobe, Japan, Jul 19-24, 2009.

[78] Lucie Norel, Lise-Marie Chamoreau, and Cyrille Train, "Modulation of intermolecular exchange interaction in organic radical based compounds: Magneto-structural analysis of phenol and imidazolium substituted oxoverdazyl radicals," Polyhedron **29**, 342 (2010), 2009 Young Investigator Special Issue.

[79] H. Ohta, O. Portugall, N. Ubrig, M. Fujisawa, H. Katsuno, E. Fatma, S. Okubo, and Y. Fujiwara, "Photoluminescence measurement of Er,O-Codoped GaAs under a pulsed magnetic field up to 60 T," Journal of Low Temperature Physics **159**, 203–207 (2010).

[80] E. B. Olshanetsky, Z. D. Kvon, G. M. Gusev, N. N. Mikhailov, S. A. Dvoretsky, and J. C. Portal, "Weak antilocalization in HgTe quantum wells near a topological transition," JETP Letters **91**, 347–350 (2010).

[81] Olivier Oms, Jean-Baptiste Rota, Lucie Norel, Carmen J. Calzado, Rousselière, Héléne, Cyrille Train, and Vincent Robert, "Beyond kahn's model: Substituent and heteroatom influence on exchange interaction in a metal-verdazyl complex," Eur. J. Inorg. Chem. (2010).

[82] M. Orlita, C. Faugeras, G. Martinez, S. A. Studenikin, and P. J. Poole, "Electron-phonon interactions in a single modulation-doped GaInAs quantum well," Euro Phys. Lett. **92**, 37002 (2010).

[83] M. Orlita and M. Potemski, "Dirac electronic states in graphene systems: optical spectroscopy studies," Semiconductor Science And Technology **25**, 063001 (2010).

[84] Emilio Pardo, Cyrille Train, Rodrigue Lescouezec, Kamal Boubekeur, Eliseo Ruiz, Francesc Lloret, and Michel Verdaguer, "Synthesis, crystal structure and magnetic properties of two oxalato-bridged dimetallic trinuclear complexes combined with a polar cation," Dalton Transactions **39**, 4951–4958 (2010).

[85] Emilio Pardo, Cyrille Train, Rodrigue Lescouezec, Yves Journaux, Jorge Pasan, Catalina Ruiz-Perez, Fernando S. Delgado, Rafael Ruiz-Garcia, Francesc Lloret, and Carley Paulsen, "Single chain magnet behaviour in an enantiopure chiral cobalt(II)-copper(II) one-dimensional compound," Chemical Communications **46**, 2322–2324 (2010).

[86] A. Patanè, N. Mori, O. Makarovsky, L. Eaves, M. L. Zambrano, J. C. Arce, L. Dickinson, and D. K. Maude, "Manipulating and Imaging the Shape of an Electronic Wave Function by Magnetotunneling Spectroscopy," Phys. Rev. Lett. **105**, 236804 (2010).

[87] O. Pena, A. B. Antunes, V. Gil, C. Moure, and S. de Brion, "Spin reversal, magnetic domains and relaxation mechanisms in Er(Co,Mn)O_3 perovskites," Thin Solid Films **518**, 5666–5669 (2010), International Symposium on Functional Materials for Non-Volatile Memories, Beijing, Peoples R China, Sep 03-05, 2007.

[88] J. A. A. J. Perenboom, P. Frings, J. Beard, B. Bansal, F. Herlach, T. Peng, and S. Zherlitsyn, "Optimization of large multiple coil systems for pulsed magnets," Journal of Low Temperature Physics **159**, 336–340 (2010).

[89] A. P. Petrovic, Y. Fasano, R. Lortz, C. Senatore, A. Demuer, A. B. Antunes, A. Pare, D. Salloum, P. Gougeon, M. Potel, and O. Fischer, "Real-Space Vortex Glass Imaging and the Vortex Phase Diagram of $SnMo_6S_8$," Physical Review Letters **103**, 257001 (2009).

[90] B. A. Piot, J. Kunc, M. Potemski, D. K. Maude, C. Betthausen, A. Vogl, D. Weiss, G. Karczewski, and T. Wojtowicz, "Fractional quantum Hall effect in CdTe," Physical Review B **82**, 081307 (2010).

[91] Fabrice Pointillart, Kamal Boubekeur, Patrick Herson, and Cyrille Train, "Barium one-dimensional coordination polymers from barium β-diketonates and 2,2'-bipyrimidine derivatives," CrystEngComm. **12**, 3430–3436 (2010).

[92] J. M. Poumirol, A. Cresti, S. Roche, W. Escoffier, M. Goiran, X. R. Wang, X. L. Li, H. J. Dai, and B. Raquet, "Edge magnetotransport fingerprints in disordered graphene nanoribbons," Physical Review B **82**, 041413 (2010).

[93] J. M. Poumirol, W. Escoffier, A. Kumar, M. Goiran, B. Raquet, and J. M. Broto, "Electron-hole coexistence in disordered graphene probed by high-field magneto-transport," New Journal of Physics **12**, 083006 (2010).

[94] J. M. Poumirol, W. Escoffier, A. Kumar, B. Raquet, and M. Goiran, "Impact of disorder on the ν=2 quantum Hall plateau in graphene," Physical Review B **82**, 121401 (2010).

[95] T. A. Prikhna, W. Gawalek, Ya. M. Savchuk, N. V. Sergienko, V. E. Moshchil, V. Sokolovsky, J. Vajda, V. N. Tkach, F. Karau, H. Weber, M. Eisterer, A. Joulain, J. Rabier, X. Chaud, M. Wendt, J. Dellith, N. I. Danilenko, T. Habisreuther, S. N. Dub, V. Meerovich, D. Litzkendorf, P. A. Nagorny, L. K. Kovalev, Ch. Schmidt, V. S. Melnikov, A. P. Shapovalov, A. V. Kozyrev, V. B. Sverdun, J. Kosa, and A. V. Vlasenko, "Nanostructural Superconducting Materials for Fault Current Limiters and Cryogenic Electrical Machines," Acta Physica Polonica A **117**, 7–14 (2010), International Scientific Workshop on Oxide Materials for Electronic Engineering Fabrication, Properties and Applications, Lviv, Ukraine, JUN 22-26, 2009.

[96] Pascal Puech, Sbastien Nanot, Bertrand Raquet, Jean-Marc Broto, Marius Millot, Abdul Waheed Anwar, Emmanuel Flahaut, and Wolfgang Bacsa, "Comparative raman spectroscopy of individual and bundled double wall carbon nanotubes," Physica Status Solidi B , 1–6 (2010).

[97] D. Raabe, P.-P. Choi, Y. Li, A. Kostka, X. Sauvage, F. Lecouturier, K. Hono, R. Kirchheim, R. Pippan, and D. Embury, "Metallic composites processed via extreme deformation: Toward the limits of strength in bulk materials,"

MRS Bulletin **35**, 982 (2010).

[98] S. Raymond, W. Knafo, J. Flouquet, F. Bourdarot, and P. Lejay, "Quantum criticality of $Ce_{1-x}La_xRu_2Si_2$: The magnetically ordered phase," Physica Status Solidi B-Basic Solid State Physics **247**, 700–702 (2010).

[99] C. Rizzo, A. Dupays, R. Battesti, M. Fouche, and G. L. J. A. Rikken, "Inverse Cotton-Mouton effect of the vacuum and of atomic systems," Europhysics Letters **90**, 64003 (2010).

[100] Maria Jesus Rodriguez-Douton, Andrea Cornia, Roberta Sessoli, Lorenzo Sorace, and Anne-Laure Barra, "Introduction of ester and amido functions in tetrairon(III) single-molecule magnets: synthesis and physical characterization," Dalton Transactions **39**, 5851–5859 (2010).

[101] Jean-Baptiste Rota, Carmen J. Calzado, Cyrille Train, and Vincent Robert, "Microscopic origins of the ferromagnetic exchange coupling in oxoverdazyl-based Cu(II) complex," Journal Of Chemical Physics **132**, 154702 (2010).

[102] P. M. C. Rourke, A. F. Bangura, C. Proust, J. Levallois, N. Doiron-Leyraud, D. LeBoeuf, L. Taillefer, S. Adachi, M. L. Sutherland, and N. E. Hussey, "Fermi-surface reconstruction and two-carrier model for the Hall effect in $YBa_2Cu_4O_8$," Physical Review B **82**, 020514 (2010).

[103] S. Sakarya, W. Knafo, N. H. van Dijk, Y. K. Huang, K. Prokes, C. Meingast, and H. von Lohneysen, "Characterization of the weak itinerant ferromagnetic order in single-crystalline UIr," Journal of the Physical Society of Japan **79**, 014702 (2010).

[104] J. M. Schneider, N. A. Goncharuk, P. Vasek, P. Svoboda, Z. Vyborny, L. Smrcka, M. Orlita, M. Potemski, and D. K. Maude, "Using magnetotransport to determine the spin splitting in graphite," Physical Review B **81**, 195204 (2010).

[105] J. M. Schneider, M. Orlita, M. Potemski, and D. K. Maude, "Comment on "Consistent Interpretation of the Low-Temperature Magnetotransport in Graphite Using the Slonczewski-Weiss-McClure 3D Band-Structure Calculations" Reply," Physical Review Letters **104**, 119702 (2010).

[106] J. Scola, W. Noun, E. Popova, A. Fouchet, Y. Dumont, N. Keller, P. Lejay, I. Sheikin, A. Demuer, and A. Pautrat, "Spin reorientation induced by a very high magnetic field in domain-structured $YFeO_3$ films: Emergence of perpendicular anisotropy," Physical Review B **81**, 174409 (2010).

[107] A. Serafin, A. I. Coldea, A. Y. Ganin, M. J. Rosseinsky, K. Prassides, D. Vignolles, and A. Carrington, "Anisotropic fluctuations and quasiparticle excitations in $FeSe_{0.5}Te_{0.5}$," Physical Review B **82**, 104514 (2010).

[108] Rikio Settai, Keisuke Katayama, Hiroshi Muranaka, Tetsuya Takeuchi, Arumugam Thamizhavel, Ilya Sheikin, and Y. Onuki, "Superconducting properties in $Rh_{17}S_{15}$ under magnetic field and pressure," Journal Of Physics And Chemistry Of Solids **71**, 700–703 (2010), 15th International Symposium on Intercalation Compounds, Beijing, Peoples R China, May 11-15, 2009.

[109] H. Shishido, A. F. Bangura, A. I. Coldea, S. Tonegawa, K. Hashimoto, S. Kasahara, P. M. C. Rourke, H. Ikeda, T. Terashima, R. Settai, Y. Onuki, D. Vignolles, C. Proust, B. Vignolle, A. McCollam, Y. Matsuda, T. Shibauchi, and A. Carrington, "Evolution of the Fermi surface of $BaFe_2(As_{1-x}P_x)_2$ on entering the superconducting dome," Physical Review Letters **104**, 057008 (2010).

[110] H. G. Silva, A. M. Pereira, J. M. Teixeira, J. M. Moreira, G. N. Kakazei, J. P. Araújo, Yu. G. Pogorelov, J. B. Sousa, M. E. Braga, B. Raquet, H. Rakoto, C. Gatel, E. Snoeck, S. Cardoso, and P. P. Freitas, "Magnetic field strength and orientation effects on co-fe discontinuous multilayers close to percolation," Physical Review B **82**, 144432 (2010).

[111] M. Stern, P. Plochocka, V. Umansky, D. K. Maude, M. Potemski, and I. Bar-Joseph, "Optical Probing of the Spin Polarization of the $\nu = 5/2$ Quantum Hall State," Physical Review Letters **105**, 096801 (2010).

[112] R. Stoyanova, A. L. Barra, M. Yoncheva, E. Zhecheva, E. Shinova, P. Tzvetkova, and S. Simova, "High-Frequency Electron Paramagnetic Resonance Analysis of the Oxidation State and Local Structure of Ni and Mn Ions in Ni,Mn-Codoped $LiCoO_2$," Inorganic Chemistry **49**, 1932–1941 (2010).

[113] Tetsuya Sugawara, Noriaki Kimura, Haruyoshi Aoki, Florence Levy, Ilya Sheikin, and Taichi Terashima, "Anomalous Behavior of the Upper-Critical-Field in Heavy-Fermion Superconductor $CeRhSi_3$," Journal Of The Physical Society Of Japan **79**, 063701 (2010).

[114] A. Sytcheva, U. Löw, S. Yasin, J. Wosnitza, S. Zherlitsyn, P. Thalmeier, T. Goto, P. Wyder, and B. Lüthi, "Acoustic Faraday effect in $Tb_3Ga_5O_{12}$," Phys. Rev. B **81**, 214415 (2010).

[115] Masashi Takigawa, Takeshi Waki, Mladen Horvatic, and Claude Berthier, "Novel Ordered Phases in the Orthogonal Dimer Spin System $SrCu_2(BO_3)_2$," Journal Of The Physical Society Of Japan **79**, 011005 (2010).

[116] E. Tancini, M. J. Rodriguez-Douton, L. Sorace, A. L. Barra, R. Sessoli, and A. Cornia, "Slow Magnetic Relaxation from Hard-axis Metal Ions in Tetranuclear Single-Molecule Magnets," Chem. Eur. J. **16**, 10482 (2010).

[117] F. J. Teran, M. Potemski, D. K. Maude, T. Andrearczyk, J. Jaroszyński, T. Wojtowicz, and G. Karczewski, "Quantum Hall states under conditions of vanishing Zeeman energy," Physical Review B **82**, 245120 (2010).

[118] M. Tropeano, M. R. Cimberle, C. Ferdeghini, G. Lamura, A. Martinelli, A. Palenzona, I. Pallecchi, A. Sala, I. Sheikin, F. Bernardini, M. Monni, S. Massidda, and M. Putti, "Isoelectronic Ru substitution at the iron site in $SmFe_{1-x}Ru_xAsO_{0.85}F_{0.15}$ and its effects on structural, superconducting, and normal-state properties," Physical Review B **81**, 184504 (2010).

[119] N. Ubrig, J. Shaver, A. N. G. Parra-Vasquez, M. Pasquali, J. Kono, J. A. Fagan, and O. Portugall, "Dynamic alignment of single-walled carbon nanotubes in pulsed magnetic fields," Journal of Low Temperature Physics **159**, 262–266 (2010).

[120] R. Valiente, M. Millot, F. Rodriguez, J. Gonzalez, J. M. Broto, S. George, S. Garcia-Revilla, Y. Romanyuk, and M. Pollnau, "Er^{3+} luminescence as a sensor of high pressure and strong external magnetic fields," High Pressure Research **29**, 748–753 (2009).

[121] P. Vasek, P. Svoboda, V. Novak, M. Cukr, Z. Vyborny, V. Jurka, J. Stuchlik, M. Orlita, and D. K. Maude, "Anisotropic Magnetoresistance of GaMnAs Ferromagnetic Semiconductors," Journal Of Superconductivity And Novel Magnetism **23**, 1161–1163 (2010).

[122] A. Vasiliev, O. Volkova, I. Presniakov, A. Baranov, G. Demazeau, J.-M. Broto, M. Millot, N. Leps, R. Klingeler,

B. Buchner, M.B. Stone, and A. Zheludev, "Thermodynamic properties and neutron diffraction studies of silver ferrite $AgFeO_2$," Journal of Physics: Condensed Matter **22**, 016007 (2010).

[123] S. I. Vedeneev, B. A. Piot, and D. K. Maude, "Magnetic field dependence of the superconducting energy gap in $Bi_2Sr_2CaCu_2O_{8+\delta}$ probed using break-junction tunneling spectroscopy," Physical Review B **81**, 054501 (2010).

[124] Thengarai S. Venkatakrishnan, Shaon Sahoo, Nicolas Brefuel, Carine Duhayon, Carley Paulsen, Anne-Laure Barra, S. Ramasesha, and Jean-Pascal Sutter, "Enhanced Ion Anisotropy by Nonconventional Coordination Geometry: Single-Chain Magnet Behavior for a $[\{(Fe^{II}L\}_2\{Nb^{IV}(CN)_8\}]$ Helical Chain Compound Designed with Heptacoordinate Fe^{II}," Journal Of The American Chemical Society **132**, 6047–6056 (2010).

[125] Q.Y. Wang, G.F. Jiao, G.Q. Liu, X.M. Xiong, S.C. Yan, P.X. Zhang, A. Sulpice, E. Mossang, Y. Feng, and G. Yan, "Fabrication and properties of multifilamentary MgB_2 wires by in-situ powder-in-tube process," Physica C: Superconductivity **470**, 1415 (2010), proceedings of the 22nd International Symposium on Superconductivity (ISS 2009).

[126] Zhe Wang, Wu Shi, Hang Xie, Ting zhang, Ning Wang, Zikang Tang, Xixiang Zhang, Rolf Lortz, Ping Sheng, Ilya Sheikin, and Albin Demuer, "Superconducting resistive transition in coupled arrays of 4 Angstrom carbon nanotubes," Physical Review B **81**, 174530 (2010).

[127] S. Wiedmann, G. M. Gusev, O. E. Raichev, A. K. Bakarov, and J. C. Portal, "Microwave zero-resistance states in a bilayer electron system," Physical Review Letters **105**, 026804 (2010).

[128] S. Wiedmann, G. M. Gusev, O. E. Raichev, A. K. Bakarov, and J. C. Portal, "Crossover between distinct mechanisms of microwave photoresistance in bilayer systems," Physical Review B **81**, 085311 (2010).

[129] S. Wiedmann, G. M. Gusev, O. E. Raichev, A. K. Bakarov, and J. C. Portal, "Microwave induced magnetoresistance oscillations and inelastic scattering time in double quantum wells," Physica E-Low-Dimensional Systems & Nanostructures **42**, 1075–1077 (2010), 18th International Conference on Electronic Properties of Two-Dimensional Systems, Kobe, Japan, Jul 19-24, 2009.

[130] S. Wiedmann, G. M. Gusev, O. E. Raichev, A. K. Bakarov, and J. C. Portal, "Thermally activated intersubband scattering and oscillating magnetoresistance in quantum wells," Phys. Rev. B **82**, 165333 (2010).

[131] S. Wiedmann, N. C. Mamani, G. M. Gusev, O. E. Raichev, A. K. Bakarov, and J. C. Portal, "Integer and fractional microwave induced resistance oscillations in a 2D system with moderate mobility," Physica E-Low-Dimensional Systems & Nanostructures **42**, 1078–1080 (2010), 18th International Conference on Electronic Properties of Two-Dimensional Systems, Kobe, Japan, Jul 19-24, 2009.

[132] S. Wiedmann, N. C. Mamani, G. M. Gusev, O. E. Raichev, A. K. Bakarov, and J. C. Portal, "Magneto-intersubband oscillations in triple quantum wells," Physica E-Low-Dimensional Systems & Nanostructures **42**, 1088–1090 (2010), 18th International Conference on Electronic Properties of Two-Dimensional Systems, Kobe, Japan, Jul 19-24, 2009.

[133] A. M. Witowski, M. Orlita, R. Stępniewski, A. Wysmołek, J. M. Baranowski, W. Strupiński, C. Faugeras, G. Martinez, and M. Potemski, "Quasiclassical cyclotron resonance of Dirac fermions in highly doped graphene," Phys. Rev. B **82**, 165305 (2010).

[134] M. V. Yakushev, F. Luckert, C. Faugeras, A. V. Karotki, A. V. Mudryi, and R. W. Martin, "Excited states of the free excitons in $CuInSe_2$ single crystals," Applied Physics Letters **97**, 152110 (2010).

[135] Tomoka Yamaguchi, Jean-Pierre Costes, Yukana Kishima, Masaaki Kojima, Yukinari Sunatsuki, Nicolas Brefuel, Jean-Pierre Tuchagues, Laure Vendier, and Wolfgang Wernsdorfer, "Face-Sharing Heterotrinuclear M^{II} Ln^{III} M^{II} (M = Mn, Fe, Co, Zn and Ln = La, Gd, Tb, Dy) Complexes; Synthesis, Structures and Magnetic Properties," Inorganic Chemistry **49**, 9125 (2010).

[136] Huan Yang, Benoît Fauqué, Liam Malone, Arlei Antunes, Zengwei Zhu, Ctirad Uher, and Kamran Behnia, "Phase diagram of bismuth in the extreme quantum limit," Nat. Comm. **1**, 1–5 (2010).

[137] Xianping Zhang, Dongliang Wang, Zhaoshun Gao, Lei Wang, Yanpeng Qi, Zhiyu Zhang, Yanwei Ma, Satoshi Awaji, Gen Nishijima, Kazuo Watanabe, Eric Mossang, and Xavier Chaud, "Doping with a special carbohydrate, $C_9H_{11}NO$, to improve the $(J_c - B)$ properties of MgB_2 tapes," Superconductor Science & Technology **23**, 025024 (2010).

[138] Xiaoqing Zhou, B. A. Piot, M. Bonin, L. W. Engel, S. Das Sarma, G. Gervais, L. N. Pfeiffer, and K. W. West, "Colossal Magnetoresistance in an Ultraclean Weakly Interacting 2D Fermi Liquid," Physical Review Letters **104**, 216801 (2010).