List of Publications 2017

[1] Ana Arauzo, Elena Bartolome, Andrew C. Benniston, Silvia Melnic, Sergiu Shova, Javier Luzon, Pablo J. Alonso, Anne-Laure Barra, and Juan Bartolome, "Slow magnetic relaxation in a dimeric Mn_2Ca_2 complex enabled by the large Mn(III) rhombicity," Dalton Trans. **46**, 720–732 (2017).

[2] Ashish Arora, Matthias Drüppel, Robert Schmidt, Thorsten Deilmann, Robert Schneider, Maciej R. Molas, Philipp Marauhn, Steffen Michaelis de Vasconcellos, Marek Potemski, Michael Rohlfing, and Rudolf Bratschitsch, "Interlayer excitons in a bulk van der Waals semiconductor," Nature Communications **8**, 639 (2017).

[3] Alain Audouard, Jean-Yves Fortin, David Vignolles, Rustem B. Lyubovskii, Loïc Drigo, Elena I. Zhilyaeva, and Rimma N. Lyubovskaya, "Quantum oscillations of a linear chain of coupled orbits with small effective masses: The organic metal θ-$(BETS)_4CoBr_4(C_6 6H_4Cl_2)$," Synthetic Metals **226**, 171 – 176 (2017).

[4] Nathaniel T. Baker, Alban Pothérat, Laurent Davoust, François Debray, and Rico Klein, "Controlling the dimensionality of low-Rm MHD turbulence experimentally," Experiments in Fluids **58**, 79 (2017).

[5] Arun Kumar Bar, Nayanmoni Gogoi, Céline Pichon, V. M. L. Durga Prasad Goli, Mehrez Thlijeni, Carine Duhayon, Nicolas Suaud, Nathalie Guihéry, Anne-Laure Barra, S. Ramasesha, and Jean-Pascal Sutter, "Pentagonal Bipyramid FeII Complexes: Robust Ising-Spin Units towards Heteropolynuclear Nanomagnets," Chemistry - A European Journal **23**, 4380–4396 (2017).

[6] M. Baranowski, A. Surrente, L. Klopotowski, J. M. Urban, N. Zhang, D. K. Maude, K. Wiwatowski, S. Mackowski, Y. C. Kung, D. Dumcenco, A. Kis, and P. Plochocka, "Probing the Interlayer Exciton Physics in a $MoS_2/MoSe_2/MoS_2$ van der Waals Heterostructure," Nano Letters **17**, 6360–6365 (2017).

[7] M Baranowski, A Surrente, D K Maude, M Ballottin, A A Mitioglu, P C M Christianen, Y C Kung, D Dumcenco, A Kis, and P Plochocka, "Dark excitons and the elusive valley polarization in transition metal dichalcogenides," 2D Materials **4**, 025016 (2017).

[8] J. Béard, J. Billette, N. Ferreira, P. Frings, J-M. Lagarrigue, F. Lecouturier, and J-P. Nicolin, "Design and Tests of the 100 Tesla Triple Coil at LNCMI ," IEEE Transactions on Applied Superconductivity (2017), 10.1109/TASC.2017.2779817.

[9] Benkel, Tara, Miyoshi, Yasuyuki, Chaud, Xavier, Badel, Arnaud, and Tixador, Pascal, "REBCO tape performance under high magnetic field," Eur. Phys. J. Appl. Phys. **79**, 30601 (2017).

[10] T. Benkel, N. Richel, A. Badel, X. Chaud, T. Lecrevisse, F. Borgnolutti, P. Fazilleau, K. Takahashi, S. Awaji, and P. Tixador, "Preliminary Tests and Margin Estimate for a REBCO Insulated 10 T Insert Under High Magnetic Field," IEEE Transactions on Applied Superconductivity **27**, 4602105 (2017).

[11] Claude Berthier, Mladen Horvatić, Marc-Henri Julien, Hadrien Mayaffre, and Steffen Krämer, "Nuclear magnetic resonance in high magnetic field: Application to condensed matter physics," Comptes Rendus Physique **18**, 331 – 348 (2017).

[12] R. Berthier, N. Bernier, D. Cooper, C. Sabbione, F. Hippert, and P. Noé, "In situ observation of the impact of surface oxidation on the crystallization mechanism of GeTe phase-change thin films by scanning transmission electron microscopy," Journal of Applied Physics **122**, 115304 (2017).

[13] Johannes Binder, Freddie Withers, Maciej R. Molas, Clement Faugeras, Karol Nogajewski, Kenji Watanabe, Takashi Taniguchi, Aleksey Kozikov, Andre K. Geim, Kostya S. Novoselov, and Marek Potemski, "Sub-bandgap Voltage Electroluminescence and Magneto-oscillations in a WSe_2 Light-Emitting van der Waals Heterostructure," Nano Letters **17**, 1425–1430 (2017).

[14] Rémi Blinder, Maxime Dupont, Sutirtha Mukhopadhyay, Mihael S. Grbić, Nicolas Laflorencie, Sylvain Capponi, Hadrien Mayaffre, Claude Berthier, Armando Paduan-Filho, and Mladen Horvatić, "Nuclear magnetic resonance study of the magnetic-field-induced ordered phase in the $Ni(Cl_2$ - 4SC $(NH_2)_2$ compound," Phys. Rev. B **95**, 020404 (2017).

[15] Pauline Burner, Atul D. Sontakke, Mathieu Salaün, Michel Bardet, Jean-Marie Mouesca, Serge Gambarelli, Anne-Laure Barra, Alban Ferrier, Bruno Viana, Alain Ibanez, Vincent Maurel, and Isabelle Gautier-Luneau, "Evidence of Organic Luminescent Centers in Sol-Gel-Synthesized Yttrium Aluminum Borate Matrix Leading to Bright Visible Emission," Angewandte Chemie International Edition **56**, 13995–13998 (2017).

[16] Benjamin Cahier, Mauro Perfetti, Georges Zakhia, Daoud Naoufal, Fatima El-Khatib, Régis Guillot, Eric Rivière, Roberta Sessoli, Anne-Laure Barra, Nathalie Guihéry, and Talal Mallah, "Magnetic Anisotropy in Pentacoordinate Ni^{II} and Co^{II} Complexes: Unraveling Electronic and Geometrical Contributions," Chemistry - A European Journal **23**, 3648–3657 (2017).

[17] Bruno Cury Camargo, Benjamin Lassagne, Raul Arenal, Christophe Gatel, Thomas Blon, Guillaume Viau, Lise-Marie Lacroix, and Walter Escoffier, "Platinum tripods as nanometric frequency multiplexing devices," Nanoscale **9**, 14635–14640 (2017).

[18] Ming-Wei Chen, Dmitry Ovchinnikov, Sorin Lazar, Michele Pizzochero, Michael Brian Whitwick, Alessandro Surrente, Michal Baranowski, Oriol Lopez Sanchez, Philippe Gillet, Paulina Plochocka, Oleg V. Yazyev, and Andras Kis, "Highly Oriented Atomically Thin Ambipolar $MoSe_2$ Grown by Molecular Beam Epitaxy," ACS Nano **11**, 6355–6361 (2017).

[19] D. Ciampini, R. Battesti, C. Rizzo, and E. Arimondo, "Optical spectroscopy of a microsized Rb vapor sample in magnetic fields up to 58 T," Phys. Rev. A **96**, 052504 (2017).

[20] E. Courtade, M. Semina, M. Manca, M. M. Glazov, C. Robert, F. Cadiz, G. Wang, T. Taniguchi, K. Watanabe, M. Pierre, W. Escoffier, E. L. Ivchenko, P. Renucci, X. Marie, T. Amand, and B. Urbaszek, "Charged excitons in monolayer WSe_2: Experiment and theory," Phys. Rev. B **96**, 085302 (2017).

[21] I. Crassee, F. Borondics, M. K. Tran, G. Autès, A. Magrez, P. Bugnon, H. Berger, J. Teyssier, O. V. Yazyev, M. Orlita, and A. Akrap, "BiTeCl and BiTeBr: A comparative high-pressure optical study," Phys. Rev. B **95**, 045201 (2017).

[22] O. Cyr-Choinière, S. Badoux, G. Grissonnanche, B. Michon, S. A. A. Afshar, S. Fortier, D. LeBoeuf, D. Graf, J. Day, D. A. Bonn, W. N. Hardy, R. Liang, N. Doiron-Leyraud, and Louis Taillefer, "Anisotropy of the Seebeck Coefficient in the Cuprate Superconductor $YBa_2Cu_3O_y$: Fermi-Surface Reconstruction by Bidirectional Charge Order," Phys. Rev. X **7**, 031042 (2017).

[23] Maxime Dupont, Sylvain Capponi, Mladen Horvatić, and Nicolas Laflorencie, "Competing Bose-glass physics with disorder-induced Bose-Einstein condensation in the doped $S = 1$ antiferromagnet $Ni(Cl_{1-x}Br_x)_2$) - SC $(NH_2)_2$ at high magnetic fields," Phys. Rev. B **96**, 024442 (2017).

[24] L. Essaleh, S. M. Wasim, G. Marin, C. Rincón, S. Amhil, and J. Galibert, "Mott type variable range hopping conduction and magnetoresistance in p-type $CuIn_3Te_5$ semiconductor compound," Journal of Applied Physics **122**, 015702 (2017).

[25] X. Fabrèges, F. Duc, T. Roth, W. Knafo, R. Viennois, and C. Detlefs, "Field-induced structural transition and irreversible domain detwinning in the antiferromagnet $Fe_{1.1}Te$," Phys. Rev. B **95**, 174434 (2017).

[26] X. Fabrèges, E. Ressouche, F. Duc, S. de Brion, M. Amara, C. Detlefs, L. Paolasini, E. Suard, L.-P. Regnault, B. Canals, P. Strobel, and V. Simonet, "Field-driven magnetostructural transitions in $GeCo_2O_4$," Phys. Rev. B **95**, 014428 (2017).

[27] Clement Faugeras, Milan Orlita, and Marek Potemski, "Raman scattering of graphene-based systems in high magnetic fields," Journal of Raman Spectroscopy (2017), 10.1002/jrs.5213.

[28] Nicolas Fil, Mohamed Belhaj, Julien Hillairet, Jérôme Puech, and Renaud Mathevet, "Electron emission under uniform magnetic field of materials for fusion and space applications," Fusion Engineering and Design **123**, 426 – 430 (2017), proceedings of the 29th Symposium on Fusion Technology (SOFT-29) Prague, Czech Republic, September 5-9, 2016.

[29] Jean-Yves Fortin and Alain Audouard, "de Haas-van Alphen oscillations with non-parabolic dispersions," The European Physical Journal B **90**, 60 (2017).

[30] Jean-Yves Fortin and Alain Audouard, "Transmission and tunneling probability in two-band metals: Influence of magnetic breakdown on the Onsager phase of quantum oscillations," Low Temperature Physics **43**, 173–185 (2017).

[31] M. Fouché, R. Battesti, and C. Rizzo, "Erratum: Limits on nonlinear electrodynamics [Phys. Rev. D 93, 093020 (2016)]," Phys. Rev. D **95**, 099902 (2017).

[32] K. Galkowski, A. A. Mitioglu, A. Surrente, Z. Yang, D. K. Maude, P. Kossacki, G. E. Eperon, J. T. W. Wang, H. J. Snaith, P. Plochocka, and R. J. Nicholas, "Spatially resolved studies of the phases and morphology of methylammonium and formamidinium lead tri-halide perovskites," Nanoscale **9**, 3222–3230 (2017).

[33] V. A. Gasparov, A. Audouard, L. Drigo, Xi He, and I. Bozovic, "Study of high-T_c interface superconductivity in $La_{1.55}Sr_{0.45}CuO_4/La_2CuO_4$ heterostructures at high magnetic fields and frequencies," International Journal of Modern Physics B **31**, 1745016 (2017).

[34] S. George, N. Bruyant, J. Béard, S. Scotto, E. Arimondo, R. Battesti, D. Ciampini, and C. Rizzo, "Pulsed high magnetic field measurement with a rubidium vapor sensor," Review of Scientific Instruments **88**, 073102 (2017).

[35] I.V. Gervasyeva, V.A. Milyutin, and E. Beaugnon, "Structure transformations in cold rolled ferromagnetic alloys upon heating in high DC magnetic field," Physica B: Condensed Matter **524**, 11 – 16 (2017).

[36] Katarzyna Golasa, Magdalena Grzeszczyk, Maciej R. Molas, Malgorzata Zinkiewicz, Karol Nogajewski, Marek Potemski, Andrzej Wysmolek, and Adam Babinski, "Anomalous Raman Scattering In Few Monolayer $MoTe_2$," MRS Advances **2**, 1539–1544 (2017).

[37] K. Götze, D. Aoki, F. Lévy-Bertrand, H. Harima, and I. Sheikin, "Drastic change of the Fermi surface across the metamagnetic transition in $CeRh_2Si_2$," Phys. Rev. B **95**, 161107 (2017).

[38] K. Götze, Y. Krupko, J. A. N. Bruin, J. Klotz, R. D. H. Hinlopen, S. Ota, Y. Hirose, H. Harima, R. Settai, A. McCollam, and I. Sheikin, "Quasi-two-dimensional Fermi surfaces with localized f electrons in the layered heavy-fermion compound $CePt_2In_7$," Phys. Rev. B **96**, 075138 (2017).

[39] D. Schulze Grachtrup, N. Steinki, S. Süllow, Z. Cakir, G. Zwicknagl, Y. Krupko, I. Sheikin, M. Jaime, and J. A. Mydosh, "Magnetic phase diagram and electronic structure of UPt_2Si_2 at high magnetic fields: A possible field-induced Lifshitz transition," Phys. Rev. B **95**, 134422 (2017).

[40] T. Gu, O. Castelnau, S. Forest, E. Hervé-Luanco, F. Lecouturier, H. Proudhon, and L. Thilly, "Multiscale modeling of the elastic behavior of architectured and nanostructured Cu-Nb composite wires," International Journal of Solids and Structures **121**, 148 – 162 (2017).

[41] T. Gu, J.-R. Medy, F. Volpi, O. Castelnau, S. Forest, E. Hervé-Luanco, F. Lecouturier, H. Proudhon, P.-O. Renault, and L. Thilly, "Multiscale modeling of the anisotropic electrical conductivity of architectured and nanostructured Cu-Nb composite wires and experimental comparison," Acta Materialia **141**, 131 – 141 (2017).

[42] M. Hakl, L. Ohnoutek, M. Veis, C. Drasar, A. Materna, G. Strzelecka, A. Hruban, A. Slobodeniuk, B. A. Piot, G. Martinez, M. Potemski, and M. Orlita, "The saturation of interband Faraday rotation in Bi_2 Se_3," EPL (Europhysics Letters) **117**, 47006 (2017).

[43] M. Hakl, S. Tchoumakov, I. Crassee, A. Akrap, B. A. Piot, C. Faugeras, G. Martinez, O. Caha, J. Novák, A. Nateprov, E. Arushanov, W. L. Lee, M. O. Goerbig, F. Teppe, M. Potemski, and M. Orlita, "Cyclotron resonance of Kane electrons observed in Cd_3As_2," in *42nd International Conference on Infrared, Millimeter, and Terahertz Waves (IRMMW-THz)* (2017) pp. 1–2.

[44] K. Han, Z. Huang, S. W. Zeng, M. Yang, C. J. Li, W. X. Zhou, X. Renshaw Wang, T. Venkatesan, J. M. D. Coey, M. Goiran, W. Escoffier, and Ariando, "Electrical properties and subband occupancy at the

(La,Sr)(Al,Ta)O_3/$SrTiO_3$ interface," Phys. Rev. Materials **1**, 011601 (2017).
[45] M. T. Hartman, A. Rivère, R. Battesti, and C. Rizzo, "Noise characterization for resonantly enhanced polarimetric vacuum magnetic-birefringence experiments," Review of Scientific Instruments **88**, 123114 (2017).
[46] D.P. Higginson, G. Revet, B. Khiar, J. Béard, M. Blecher, M. Borghesi, K. Burdonov, S.N. Chen, E. Filippov, D. Khaghani, K. Naughton, H. Pépin, S. Pikuz, O. Portugall, C. Riconda, R. Riquier, S.N. Ryazantsev, I.Yu. Skobelev, A. Soloviev, M. Starodubtsev, T. Vinci, O. Willi, A. Ciardi, and J. Fuchs, "Detailed characterization of laser-produced astrophysically-relevant jets formed via a poloidal magnetic nozzle," High Energy Density Physics **23**, 48 – 59 (2017).
[47] D. P. Higginson, B. Khiar, G. Revet, J. Béard, M. Blecher, M. Borghesi, K. Burdonov, S. N. Chen, E. Filippov, D. Khaghani, K. Naughton, H. Pépin, S. Pikuz, O. Portugall, C. Riconda, R. Riquier, R. Rodriguez, S. N. Ryazantsev, I. Yu. Skobelev, A. Soloviev, M. Starodubtsev, T. Vinci, O. Willi, A. Ciardi, and J. Fuchs, "Enhancement of Quasistationary Shocks and Heating via Temporal Staging in a Magnetized Laser-Plasma Jet," Phys. Rev. Lett. **119**, 255002 (2017).
[48] Michihiro Hirata, Kyohei Ishikawa, Genki Matsuno, Akito Kobayashi, Kazuya Miyagawa, Masafumi Tamura, Claude Berthier, and Kazushi Kanoda, "Anomalous spin correlations and excitonic instability of interacting 2D Weyl fermions," Science **358**, 1403–1406 (2017).
[49] M. Jeong, H. Mayaffre, C. Berthier, D. Schmidiger, A. Zheludev, and M. Horvatić, "Magnetic-Order Crossover in Coupled Spin Ladders," Phys. Rev. Lett. **118**, 167206 (2017).
[50] Hong-Guang Jin, Xiaoqin Jiang, Irina A. Kühne, Sylvain Clair, Valérie Monnier, Christophe Chendo, Ghenadie Novitchi, Annie K. Powell, Karl M. Kadish, and Teodor Silviu Balaban, "Microwave-Mediated Synthesis of Bulky Lanthanide Porphyrin-Phthalocyanine Triple-Deckers: Electrochemical and Magnetic Properties," Inorganic Chemistry **56**, 4864–4873 (2017).
[51] M. V. Kartsovnik, V. N. Zverev, W. Biberacher, S. V. Simonov, I. Sheikin, N. D. Kushch, and E. B. Yagubskii, "Shubnikov-de Haas oscillations and electronic correlations in the layered organic metal κ-$(BETS)_2$ $Mn[N(CN)_2]_3$," Low Temperature Physics **43**, 239–243 (2017).
[52] W. Knafo, R. Settai, D. Braithwaite, S. Kurahashi, D. Aoki, and J. Flouquet, "Three-dimensional critical phase diagram of the Ising antiferromagnet $CeRh_2Si_2$ under intense magnetic field and pressure," Phys. Rev. B **95**, 014411 (2017).
[53] Jacob C. König-Otto, Yongrui Wang, Alexey Belyanin, Claire Berger, Walter A. de Heer, Milan Orlita, Alexej Pashkin, Harald Schneider, Manfred Helm, and Stephan Winnerl, "Four-Wave Mixing in Landau-Quantized Graphene," Nano Letters **17**, 2184–2188 (2017).
[54] Varun Kumar, Sergiu Shova, Vincent Maurel, Ghenadie Novitchi, and Cyrille Train, "Crystallographic insights into the synthesis and magnetic properties of oxoverdazyl radicals functionalized by benzoic acid." European Journal of Inorganic Chemistry (2017), 10.1002/ejic.201700950.
[55] Vladimir N. Laukhin, Alain Audouard, Jean-Yves Fortin, David Vignolles, Tatyana G. Prokhorova, Eduard B. Yagubskii, and Enric Canadell, "Quantum oscillations in coupled orbits networks of (BEDT-TTF) salts with tris(oxalato)metallate anions," Low Temperature Physics **43**, 27–33 (2017).
[56] T. Le Quang, V. Cherkez, K. Nogajewski, M. Potemski, M. T. Dau, M. Jamet, P. Mallet, and J-Y Veuillen, "Scanning tunneling spectroscopy of van der Waals graphene/semiconductor interfaces: absence of Fermi level pinning," 2D MATERIALS **4**, 035019 (2017).
[57] D. LeBoeuf, C. W. Rischau, G. Seyfarth, R. Küchler, M. Berben, S. Wiedmann, W. Tabis, M. Frachet, K. Behnia, and B. Fauqué, "Thermodynamic signatures of the field-induced states of graphite," Nature Communications **8**, 1337 (2017).
[58] Jia-Jia Liu, Yin-Shan Meng, Ivo Hlavicka, Milan Orlita, Shang-Da Jiang, Bing-Wu Wang, and Song Gao, "Determination of zero-field splitting in Co^{2+} halide complexes with magnetic and far-IR measurements," Dalton Trans. **46**, 7408–7411 (2017).
[59] Eva Lucaccini, José J. Baldovi, Laura Chelazzi, Anne-Laure Barra, Fabrizia Grepioni, Jean-Pierre Costes, and Lorenzo Sorace, "Electronic Structure and Magnetic Anisotropy in Lanthanoid Single-Ion Magnets with C3 Symmetry: The Ln(trenovan) Series," Inorganic Chemistry **56**, 4728–4738 (2017).
[60] Koperski Maciej, R. Molas Maciej, Arora Ashish, Nogajewski Karol, O. Slobodeniuk Artur, Faugeras Clement, and Potemski Marek, "Optical properties of atomically thin transition metal dichalcogenides: observations and puzzles," Nanophotonics **6**, 1289 (2017).
[61] Arman Mahboubi Soufiani, Zhuo Yang, Trevor Young, Atsuhiko Miyata, Alessandro Surrente, Alexander Pascoe, Krzysztof Galkowski, Mojtaba Abdi-Jalebi, Roberto Brenes, Joanna Urban, Nan Zhang, Vladimir Bulovic, Oliver Portugall, Yi-Bing Cheng, Robin J. Nicholas, Anita Ho-Baillie, Martin A. Green, Paulina Plochocka, and Samuel D. Stranks, "Impact of microstructure on the electron-hole interaction in lead halide perovskites," Energy Environ. Sci. **10**, 1358–1366 (2017).
[62] G. Martinez, B. A. Piot, M. Hakl, M. Potemski, Y. S. Hor, A. Materna, S. G. Strzelecka, A. Hruban, O. Caha, J. Novák, A. Dubroka, C. Drasar, and M. Orlita, "Determination of the energy band gap of Bi_2Se_3," Scientific Reports **7**, 6891 (2017).
[63] Frederic Mentink-Vigier, Guinevere Mathies, Yangping Liu, Anne-Laure Barra, Marc A. Caporini, Daniel Lee, Sabine Hediger, Robert G. Griffin, and Gael De Paepe, "Efficient cross-effect dynamic nuclear polarization without depolarization in high-resolution MAS NMR," Chem. Sci. , 8150–8163 (2017).
[64] David Mesguich, Claire Arnaud, Florence Lecouturier, Nelson Ferreira, Geoffroy Chevallier, Claude Estournès, Alicia Weibel, Claudie Josse, and Christophe Laurent, "High strength-high conductivity carbon nanotube-copper wires with bimodal grain size distribution by spark plasma sintering and wire-drawing," Scripta Materialia **137**, 78 – 82 (2017).
[65] Miljan N. M. Milunović, Aliona Dobrova, Ghenadie Novitchi, Nevenka Gligorijević, Sinisa Radulović, Jozef Kozisek, Peter Rapta, Eva A. Enyedy, and Vladimir B. Arion, "Effects of Terminal Substitution and Iron Coordination on

Antiproliferative Activity of l-Proline-salicylaldehyde-Thiosemicarbazone Hybrids," European Journal of Inorganic Chemistry **2017**, 4773–4783 (2017).

[66] V. A. Milyutin, I. V. Gervaseva, E. Beaugnon, V. S. Gaviko, and E. G. Volkova, "The process of crystallization from amorphous state in ribbons of Fe-Si-B-based alloys under the effect of a high DC magnetic field," Physics of Metals and Metallography **118**, 466–471 (2017).

[67] L. V. Mingalieva, R. T. Galeev, A. A. Sukhanov, V. K. Voronkova, I. K. Budnikova, and G. Novitchi, "Features of Exchange Interaction Between Cr^{3+} Ions in Compounds $[Fe(phen)_3][Cr_2(OH)(Ac)(nta)_2] \cdot 6{,}25H_2O$ and $[Fe(bpy)_3][Cr_2(OH)(Ac)(nta)_2] \cdot 8H_2O$," Applied Magnetic Resonance (2017), 10.1007/s00723-017-0937-2.

[68] Atsuhiko Miyata, Oliver Portugall, Daisuke Nakamura, Kenya Ohgushi, and Shojiro Takeyama, "Ultrahigh magnetic field phases in the frustrated triangular-lattice magnet $CuCrO_2$," Phys. Rev. B **96**, 180401 (2017).

[69] A. Miyata, Z. Yang, A. Surrente, O. Drachenko, D. K. Maude, O. Portugall, L. B. Duffy, T. Hesjedal, P. Plochocka, and R. J. Nicholas, "Ultrahigh magnetic field spectroscopy reveals the band structure of the three-dimensional topological insulator Bi_2Se_3," Phys. Rev. B **96**, 121111 (2017).

[70] M R Molas, C Faugeras, A O Slobodeniuk, K Nogajewski, M Bartos, D M Basko, and M Potemski, "Brightening of dark excitons in monolayers of semiconducting transition metal dichalcogenides," 2D Materials **4**, 021003 (2017).

[71] Maciej R. Molas, Karol Nogajewski, Marek Potemski, and Adam Babiński, "Raman scattering excitation spectroscopy of monolayer WS_2," Scientific Reports **7**, 5036 (2017).

[72] Maciej R. Molas, Karol Nogajewski, Artur O. Slobodeniuk, Johannes Binder, Miroslav Bartos, and Marek Potemski, "The optical response of monolayer, few-layer and bulk tungsten disulfide," Nanoscale **9**, 13128–13141 (2017).

[73] Marta Mon, Jesús Ferrando-Soria, Michel Verdaguer, Cyrille Train, Charles Paillard, Brahim Dkhil, Carlo Versace, Rosaria Bruno, Donatella Armentano, and Emilio Pardo, "Postsynthetic Approach for the Rational Design of Chiral Ferroelectric Metal-Organic Frameworks," Journal of the American Chemical Society **139**, 8098–8101 (2017).

[74] A. Nachawaty, M. Yang, W. Desrat, S. Nanot, B. Jabakhanji, D. Kazazis, R. Yakimova, A. Cresti, W. Escoffier, and B. Jouault, "Magnetic field driven ambipolar quantum Hall effect in epitaxial graphene close to the charge neutrality point," Phys. Rev. B **96**, 075442 (2017).

[75] K. Nawa, M. Takigawa, S. Krämer, M. Horvatić, C. Berthier, M. Yoshida, and K. Yoshimura, "Dynamics of bound magnon pairs in the quasi-one-dimensional frustrated magnet $LiCuVO_4$," Phys. Rev. B **96**, 134423 (2017).

[76] Ghénadie Novitchi, Shangda Jiang, Sergiu Shova, Fatima Rida, Ivo Hlavička, Milan Orlita, Wolfgang Wernsdorfer, Rana Hamze, Cyril Martins, Nicolas Suaud, Nathalie Guihéry, Anne-Laure Barra, and Cyrille Train, "From Positive to Negative Zero-Field Splitting in a Series of Strongly Magnetically Anisotropic Mononuclear Metal Complexes," Inorganic Chemistry **56**, 14809 (2017).

[77] Ghenadie Novitchi, Sergi Vela, Guillaume Pilet, Cyrille Train, and Vincent Robert, "Twisting induces ferromagnetism in homometallic clusters," Dalton Trans. **46**, 11154–11158 (2017).

[78] Anna Orlova, Rémi Blinder, Edwin Kermarrec, Maxime Dupont, Nicolas Laflorencie, Sylvain Capponi, Hadrien Mayaffre, Claude Berthier, Armando Paduan-Filho, and Mladen Horvatić, "Nuclear Magnetic Resonance Reveals Disordered Level-Crossing Physics in the Bose-Glass Regime of the Br-Doped $Ni(Cl_{1-x}Br_x)_2$ - 4 $SC(NH_2)_2$ Compound at a High Magnetic Field," Phys. Rev. Lett. **118**, 067203 (2017).

[79] A. Orlova, E. L. Green, J. M. Law, D. I. Gorbunov, G. Chanda, S. Krämer, M. Horvatić, R. K. Kremer, J. Wosnitza, and G. L. J. A. Rikken, "Nuclear Magnetic Resonance Signature of the Spin-Nematic Phase in $LiCuVO_4$ at High Magnetic Fields," Phys. Rev. Lett. **118**, 247201 (2017).

[80] V. Paul-Boncour, M. Guillot, O. Isnard, and A. Hoser, "High field induced magnetic transitions in the $Y_{0.7}Er_{0.3}Fe_2D_{4.2}$ deuteride," Phys. Rev. B **96**, 104440 (2017).

[81] V. Paul-Boncour, M. Guillot, O. Isnard, B. Ouladdiaf, A. Hoser, T. Hansen, and N. Stuesser, "Interplay between crystal and magnetic structures in $YFe_2(H_\alpha D_{1-\alpha})_{4.2}$ compounds studied by neutron diffraction," Journal of Solid State Chemistry **245**, 98 – 109 (2017).

[82] B. Pietka, M. R. Molas, N. Bobrovska, M. Król, R. Mirek, K. Lekenta, P. Stepnicki, F. Morier-Genoud, J. Szczytko, B. Deveaud, M. Matuszewski, and M. Potemski, "2s exciton-polariton revealed in an external magnetic field ," Phys. Rev. B **96**, 081402 (2017).

[83] Alexandre Pourret, Michi-To Suzuki, Alexandra Palaccio Morales, Gabriel Seyfarth, Georg Knebel, Dai Aoki, and Jacques Flouquet, "Fermi Surfaces in the Antiferromagnetic, Paramagnetic and Polarized Paramagnetic States of $CeRh_2Si_2$ Compared with Quantum Oscillation Experiments," Journal of the Physical Society of Japan **86**, 084702 (2017).

[84] M. Raba, E. Ressouche, N. Qureshi, C. V. Colin, V. Nassif, S. Ota, Y. Hirose, R. Settai, P. Rodière, and I. Sheikin, "Determination of the magnetic structure of $CePt_2In_7$ by means of neutron diffraction," Phys. Rev. B **95**, 161102 (2017).

[85] Guilhem Revet, Sophia N. Chen, Rosaria Bonito, Benjamin Khiar, Evgeny Filippov, Costanza Argiroffi, Drew P. Higginson, Salvatore Orlando, Jérôme Béard, Marius Blecher, Marco Borghesi, Konstantin Burdonov, Dimitri Khaghani, Kealan Naughton, Henri Pépin, Oliver Portugall, Raphael Riquier, Rafael Rodriguez, Sergei N. Ryazantsev, Igor Yu. Skobelev, Alexander Soloviev, Oswald Willi, Sergey Pikuz, Andrea Ciardi, and Julien Fuchs, "Laboratory unraveling of matter accretion in young stars," Science Advances **3**, 1700982 (2017).

[86] C. Rincón, S. M. Wasim, G. Marin, J. M. Delgado, G. Sánchez-Pérez, L. Essaleh, and J. Galibert, "Raman spectra of $CuGa_3Te_5$ ordered-defect compound," physica status solidi (b) **254**, 1600844 (2017).

[87] C. W. Rischau, S. Wiedmann, G. Seyfarth, D. LeBoeuf, K. Behnia, and B. Fauqué, "Quantum interference in a macroscopic van der Waals conductor," Phys. Rev. B **95**, 085206 (2017).

[88] L Ronayette, S Crispel, C Berriaud, R Berthier, G Caplanne, M Gorski, P Graffin, P Hanoux, T Hergat, B Hervieu, FP Juster, R Pfister, M Pissard, P Pugnat, and B Vincent, "Cryogenic system for the 43 T Hybrid Magnet at LNCMI Grenoble: from the needs to the commissioning," IOP Conference Series: Materials Science and Engineering **171**, 012107 (2017).

[89] S. Ruffenach, M. Marcinkiewicz, S. S. Krishtopenko, C. Consejo, J. Torres, M. Orlita, W. Knap, D. Smirnov, S. V.

Morozov, V. I. Gavrilenko, N. N. Michailov, S. A. Dvoretskii, and F. Teppe, "Terahertz probing of temperature-driven topological phase transition in HgCdTe bulk crystal and HgTe Quantum Well," in *42nd International Conference on Infrared, Millimeter, and Terahertz Waves (IRMMW-THz)* (2017) pp. 1–3.

[90] Sebastian F. M. Schmidt, Changhyun Koo, Valeriu Mereacre, Jaena Park, Dieter W. Heermann, Vladislav Kataev, Christopher E. Anson, Denis Prodius, Ghenadie Novitchi, Rüdiger Klingeler, and Annie K. Powell, "A Three-Pronged Attack To Investigate the Electronic Structure of a Family of Ferromagnetic Fe_4Ln_2 Cyclic Coordination Clusters: A Combined Magnetic Susceptibility, High-Field/High-Frequency Electron Paramagnetic Resonance, and 57Fe Mössbauer Study," Inorganic Chemistry **56**, 4796–4806 (2017).

[91] Sergiu Shova, Maria Cazacu, Ghenadie Novitchi, Giorgio Zoppellaro, Cyrille Train, and Vladimir B. Arion, "An iron(III)-centred ferric wheel Fe*c*{Fe_6} with a siloxane-based bis-salicylidene Schiff base," Dalton Trans. **46**, 1789–1793 (2017).

[92] Alessandro Surrente, Dumitru Dumcenco, Zhuo Yang, Agnieszka Kuc, Yu Jing, Thomas Heine, Yen-Cheng Kung, Duncan K. Maude, Andras Kis, and Paulina Plochocka, "Defect Healing and Charge Transfer-Mediated Valley Polarization in $MoS_2/MoSe_2/MoS_2$ Trilayer van der Waals Heterostructures," Nano Letters **17**, 4130 (2017).

[93] W. Tabis, B. Yu, I. Bialo, M. Bluschke, T. Kolodziej, A. Kozlowski, E. Blackburn, K. Sen, E. M. Forgan, M. v. Zimmermann, Y. Tang, E. Weschke, B. Vignolle, M. Hepting, H. Gretarsson, R. Sutarto, F. He, M. Le Tacon, N. BariŠiĆ, G. Yu, and M. Greven, "Synchrotron x-ray scattering study of charge-density-wave order in $HgBa_2CuO_{4+\delta}$," Phys. Rev. B **96**, 134510 (2017).

[94] Y. Tokunaga, D. Aoki, H. Mayaffre, S. Krämer, M.-H. Julien, C. Berthier, M. Horvatić, H. Sakai, T. Hattori, S. Kambe, and S. Araki, "Field-induced reentrant superconductivity driven by quantum tricritical fluctuations in URhGe," Physica B: Condensed Matter (2017), 10.1016/j.physb.2017.09.022.

[95] Joanna Urban, Michal Baranowski, Alessandro Surrente, Damian Roman Wlodarczyk, Andrzej Suchocki, Gen Long, Yang Wang, Lukasz Klopotowski, Ning Wang, Duncan K Maude, and Paulina Plochocka, "Observation of A_g^1 Raman mode splitting in few layers black phosphorus encapsulated with hexagonal boron nitride," Nanoscale **9**, 19298–19303 (2017).

[96] Jun Wang, Yixuan He, Jinshan Li, Hongchao Kou, and Eric Beaugnon, "Strong magnetic field effect on the nucleation of a highly undercooled Co-Sn melt," Scientific Reports **7**, 4958 (2017).

[97] Jun Wang, Jinshan Li, Hongchao Kou, and Eric Beaugnon, "Instability Pattern Formation in a Liquid Metal under High Magnetic Fields," Scientific Reports **7**, 2248 (2017).

[98] J. Wang, Y. Zhang, S.Z. Niu, W.Y. Wang, H.C. Kou, J.S. Li, S.Q. Wang, and E. Beaugnon, "Formation of a hexagonal closed-packed phase in $Al_{0.5}CoCrFeNi$ high entropy alloy," MRS Communications **7**, 879–884 (2017).

[99] S.M. Wasim, L. Essaleh, G. Marin, and J. Galibert, "Variable range hopping and positive magnetoresistance in n type semiconductor $CuIn_3Se_5$," Materials Research Bulletin **87**, 219–223 (2017).

[100] S.M. Wasim, L. Essaleh, G. Marin, C. Rincón, S. Amhil, and J. Galibert, "Efros-Shklovskii type variable range hopping conduction and magnetoresistance in p-type $CuGa_3Te_5$," Superlattices and Microstructures **107**, 285 – 292 (2017).

[101] Zhuo Yang, Alessandro Surrente, Krzysztof Galkowski, Nicolas Bruyant, Duncan K. Maude, Amir Abbas Haghighirad, Henry J. Snaith, Paulina Plochocka, and Robin J. Nicholas, "Unraveling the Exciton Binding Energy and the Dielectric Constant in Single-Crystal Methylammonium Lead Triiodide Perovskite," Journal of Physical Chemistry Letters **8**, 1851–1855 (2017).

[102] Z. Yang, A. Surrente, K. Galkowski, A. Miyata, O. Portugall, R. J. Sutton, A. A. Haghighirad, H. J. Snaith, D. K. Maude, P. Plochocka, and R. J. Nicholas, "Impact of the Halide Cage on the Electronic Properties of Fully Inorganic Cesium Lead Halide Perovskites," ACS Energy Letters **2**, 1621–1627 (2017).

[103] Z. Yang, A. Surrente, G. Tutuncuoglu, K. Galkowski, M. Cazaban-Carraze, F. Amaduzzi, P. Leroux, D. K. Maude, A. Fontcuberta i Morral, and P. Plochocka, "Revealing Large-Scale Homogeneity and Trace Impurity Sensitivity of GaAs Nanoscale Membranes," Nano Letters **17**, 2979–2984 (2017).

[104] M. Yoshida, K. Nawa, H. Ishikawa, M. Takigawa, M. Jeong, S. Krämer, M. Horvatić, C. Berthier, K. Matsui, T. Goto, S. Kimura, T. Sasaki, J. Yamaura, H. Yoshida, Y. Okamoto, and Z. Hiroi, "Spin dynamics in the high-field phases of volborthite," Phys. Rev. B **96**, 180413 (2017).

[105] Mirela-Fernanda Zaltariov, Veacheslav Vieru, Michal Zalibera, Maria Cazacu, Nuno M. R. Martins, Luisa M. D. R. S. Martins, Peter Rapta, Ghenadie Novitchi, Sergiu Shova, Armando J. L. Pombeiro, and Vladimir B. Arion, "A Bis(μ-chlorido)-Bridged Cobalt(II) Complex with Silyl-Containing Schiff Base as a Catalyst Precursor in the Solvent-Free Oxidation of Cyclohexane," European Journal of Inorganic Chemistry **2017**, 4324–4332 (2017).

[106] R. Zhou, M. Hirata, T. Wu, I. Vinograd, H. Mayaffre, S. Krämer, M. Horvatić, C. Berthier, A. P. Reyes, P. L. Kuhns, R. Liang, W. N. Hardy, D. A. Bonn, and M.-H. Julien, "Quasiparticle Scattering off Defects and Possible Bound States in Charge-Ordered $YBa_2Cu_3O_y$," Phys. Rev. Lett. **118**, 017001 (2017).

[107] Rui Zhou, Michihiro Hirata, Tao Wu, Igor Vinograd, Hadrien Mayaffre, Steffen Krämer, Arneil P. Reyes, Philip L. Kuhns, Ruixing Liang, W. N. Hardy, D. A. Bonn, and Marc-Henri Julien, "Spin susceptibility of charge-ordered $YBa_2Cu_3O_y$ across the upper critical field," Proceedings of the National Academy of Sciences **114**, 13148–13153 (2017).

[108] Yuan-Yuan Zhu, Fang Liu, Jia-Jia Liu, Yin-Shan Meng, Shang-Da Jiang, Anne-Laure Barra, Wolfgang Wernsdorfer, and Song Gao, "Slow Magnetic Relaxation in Weak Easy-Plane Anisotropy: the Case of a Combined Magnetic and HFEPR Study," Inorganic Chemistry **56**, 697–700 (2017).